

**MATERIAL SAFETY DATA SHEET**  
**ZOECON® ALTOSID® LIQUID LARVICIDE CONCENTRATE**

**Manufacturer:** Wellmark International  
**Address:** 1100 East Woodfield Road, Suite 500 Schaumburg, IL 60173  
**Emergency Phone:** 1-800-248-7763  
**Transportation Emergency Phone:** CHEMTREC: 1-800-424-9300

**1. CHEMICAL PRODUCT INFORMATION**

**Product Name:** Zoecon Altosid® Liquid Larvicide Concentrate  
**Chemical Name/Synonym:** (S)-Methoprene; isopropyl (2E,4E,7S)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate  
**Chemical Family:** Terpenoid  
**Formula:** C19 H34 O3  
**EPA Registration No.:** 2724-446  
**RF Number:** 437

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

<u>Component (chemical, common name)</u>	<u>CAS Number</u>	<u>Weight</u>	<u>Tolerance</u>
(S)- Methoprene: Isopropyl (2E,4E,7S)-11-Methoxy-3,7,11-trimethyl-2,4-dodecadienoate	65733-16-6	20.0%	Not established
Inert ingredients (non-hazardous and/or trade secret)		80%.0	N/A

**3. HAZARD INFORMATION**

**PRECAUTIONARY STATEMENT**

Caution: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling..Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

No adverse reactions have resulted from normal human exposure during research and testing.

**PRIMARY ROUTE OF ENTRY**     Dermal/Eye: Yes                     Oral: No                     Inhalation: No

**ACUTE TOXICITY**

**Oral:** LD50 (rat): >34,000 mg/kg (highest dose tested) (HDT) (Based on (S) Methoprene)

**Dermal:** LD50 (rabbit): >2000 mg/kg (highest dose tested) (HDT) (Based on (S) Methoprene)

**Inhalation:** LC50 (rat): >5.19 mg/L air (Based on (S) Methoprene)

## OTHER TOXICOLOGICAL INFORMATION

- Skin Irritation:** Non-irritating (rabbit) (Based on (S) Methoprene)  
**Eye Irritation:** Practically non-irritating (rabbit) (Based on (S) Methoprene)  
**Sensitizer:** Not a sensitizer (guinea pig) (Based on (RS) Methoprene)

## 4. FIRST AID MEASURES

- Eye:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- Skin:** Take off contaminated clothing. Rinse skin immediately with soap and water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Ingestion:** Drink 1-2 glasses of water and try to induce vomiting. Seek medical attention. Never give anything by mouth to an unconscious person.
- Inhalation:** Remove victim to fresh air. See a physician if cough or other respiratory symptoms develop.
- Note to Physician:** Treat symptomatically

## 5. FIRE FIGHTING MEASURES

- NFPA Rating:** **Health: 0**                      **Fire: 0**                      **Reactivity: 0**  
**Flammability Class:** N/A  
**Flash Point:** Does not flash  
**Explosive Limits (% of Volume):** None  
**Extinguishing Media:** Water, foam, CO2  
**Special Protective Equipment:** Firefighters should wear protective clothing and self contained breathing apparatus.  
**Fire Fighting Procedures:** Normal procedures. Do not allow fire fighting water to escape into waterways or sewers.  
**Combustion Products:** Carbon monoxide, carbon dioxide  
**Unusual Fire/Explosion Hazards:** None

## 6. ACCIDENTAL RELEASE MEASURES

- Steps to be taken:** In case of leakage or spill, soak up with absorbent material. Place in a container for disposal.
- Absorbents:** Clay granules, sawdust, dirt or equivalent.
- Incompatibles:** None

## 7. HANDLING AND STORAGE

- Handling:** Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.
- Storage:** Store in a cool, dry place, away from other pesticides, food and feed.

## 8. EXPOSURE CONTROL / PERSONAL MEASURES

**Exposure Limits:** Not established

**Ventilation:** Use with adequate ventilation.

**Personal Protective Equipment:** Under ordinary use conditions, no special protection is required. If prolonged exposure is expected, it is recommended to wear a MSHA/NIOSH approved organic vapor/pesticide respirator, impervious gloves, chemical goggles or safety glasses with side shields.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance and Odor:** Creamy, yellow liquid with slight odor.

**Boiling Point:** 100 C

**Melting Point:** Not applicable

**Vapor Pressure (mm Hg):** 17.5 mm Hg

**Vapor Density (Air = 1):** 0.6 (water phase)

**Specific Gravity:** 1.04 - 1.06

**Bulk Density:** 8.3 lbs/gal

**Solubility:** Disperses in water

**Evaporation Rate:** Approximately 0.8

**pH:** 6.3 - 6.8

## 10. STABILITY AND REACTIVITY

**Stability:** Stable

**Reactivity:** Non-reactive

**Incompatibility w/ Other Materials:** Bleach, oxidizing/alkaline materials

**Decomposition Products:** None

**Hazardous Polymerization:** Will not occur

## 11. TOXICOLOGICAL INFORMATION

### **CHRONIC TOXICITY [Based on (RS)-Methoprene]**

Methoprene is not considered as an oncogenic compound. The NOEL for non-carcinogen effects in an 18-month mouse study was 250ppm.

### **DEVELOPMENTAL/REPRODUCTIVE TOXICITY [Based on (RS)-Methoprene]**

Methoprene is not a teratogenic compound. The NOEL for maternal and embryo toxicity in rabbits was 200/mg/kg/day. The NOEL for reproductive effects in rats was 500 ppm.

### **MUTAGENICITY [Based on (RS)-Methoprene]**

Methoprene is not a mutagenic compound.

## 12. ECOLOGICAL INFORMATION

### ENVIRONMENTAL FATE [Based on (RS)-Methoprene]

**Hydrolysis:** T1/2 > 4 weeks

**Photolysis:** T1/2 < 10 hours

**Soil half life:** ~ 10 days

**Water solubility:** < 2 ppm

### ECOTOXICITY [Based on (S)-Methoprene]

**Acute Toxicity:** fish:LC50 (trout): 760 ppb, (bluegill): > 370 ppb ;  
**aquatic invertebrates:**LC50 (Daphnia): 360 ppb

## 13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food, or feed by disposal. **Pesticide Disposal:** Wastes resulting from this product may be disposed of on site or at an approved waste management facility. **Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

## 14. TRANSPORT INFORMATION

**DOT49CFR Description:** Not regulated as hazardous by D.O.T., I.A.T.A. or I.M.D.G.

**Freight Classification:** Insecticides, NOI other than poison in boxes or drums. NMFC 102120

## 15. REGULATORY INFORMATION

**CERCLA (Superfund):** Not regulated

**RCRA:** Not regulated as hazardous

### SARA 311/312 HAZARD CATEGORIES

**Immediate Health:** Yes (irritation)

**Delayed Health:** No

**Fire:** No

**Sudden Pressure:** No

**Reactivity:** No

*The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.*