

# VectoMax™ G

Biological Larvicide / GRANULES



## FOR ORGANIC PRODUCTION

### ACTIVE INGREDIENTS:

|  |        |
|--|--------|
| <i>Bacillus sphaericus</i> Serotype H5a5b, strain 2362<br>Fermentation Solids, Spores, and Insecticidal Toxins . . . . .                                   | 2.7%   |
| <i>Bacillus thuringiensis</i> Subsp. <i>israelensis</i> Serotype H-14,<br>Strain AM65-52 Fermentation Solids, Spores, and<br>Insecticidal Toxins . . . . . | 4.5%   |
| OTHER INGREDIENTS . . . . .  | 92.8%  |
| TOTAL . . . . .  | 100.0% |

Potency: This product contains 50 BsIU/mg or 0.023 Billion BsIU/lb.  
Expiration Date: (Two years from date of manufacture)  
The percent active ingredient does not indicate product performance  
and potency measurements are not federally standardized.  
Patent Pending

EPA Reg. No. 73049-429  
EPA Est. No. 33762-IA-001  
List No. 05755

### INDEX:

- 1.0 First Aid
- 2.0 Precautionary Statements
  - 2.1 Hazard to Humans (and Domestic Animals)
  - 2.2 Environmental Hazards
- 3.0 Directions for Use
- 4.0 Storage and Disposal
- 5.0 Directions for Use - Application Directions
- 6.0 Warranty and Disclaimer

## KEEP OUT OF REACH OF CHILDREN CAUTION

1.0

| FIRST AID   |   |
|---|---|
| <b>If in eyes</b>   | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul> |
| <b>If on skin or clothing</b>   | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>   |
| <b>If inhaled</b>   | <ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul> |
| HOT LINE NUMBER   |   |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-315-9819 (24 hours) for emergency medical treatment and/or transport emergency information. For all other information, call 1-800-323-9597. |   |

## 2.0 PRECAUTIONARY STATEMENTS

### 2.1 Hazards To Humans and Domestic Animals CAUTION

Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Mixers/loaders and applicators not in enclosed cabs or aircraft, must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitizations.

### 2.2 Environmental Hazards

Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

## 3.0 DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## 4.0 STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place.

**Pesticide Disposal:** To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment by shaking and tapping sides and bottom to loosen clinging particles. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration. Do not burn, unless allowed by State and local ordinances.

## 5.0 DIRECTIONS FOR USE

### Application Directions

#### MOSQUITO CONTROL

VectoMax™ G is a selective microbial insecticide for use against mosquito larvae in a variety of habitats. VectoMax G can be applied to areas that contain fish, other aquatic life, and plants. VectoMax G can be applied to areas used by or in contact with humans, pets, horses, livestock, birds, or wildlife.

#### I. For control of mosquito larvae in the following non-crop sites:

| Habitat  | Rate Range     |
|--|----------------|
| <b>Wastewater:</b><br>Sewage effluent, sewage lagoons, oxidation ponds, septic ditches, animal waste lagoons, impounded wastewater associated with fruit and vegetable processing. | 5-20 lbs/acre* |
| <b>Storm Waters/Drainage Systems:</b><br>Drainage ditches, roadside ditches, retention, detention, and seepage ponds.  | 5-20 lbs/acre* |
| <b>Marine/Coastal Areas:</b><br>Tidal water, salt marshes, mangroves, estuaries.   | 5-20 lbs/acre* |

CONTINUED

|   |                             |
|---|-----------------------------|
| <b>Water Bodies:</b>  |                             |
| Natural and manmade aquatic sites such as lakes, ponds, canals, rivers and streams (including river & stream edges), floodplains, swamps, marshes, irrigation ditches, flood water, woodland pools, snow melt pools and livestock watering ponds and troughs.   | 5-20 lbs/acre*              |
| <b>Waste Tires:</b>   |                             |
| Tires stockpiled in dumps, landfills, recycling plants, and other similar sites.  | 20-80 lbs/acre <sup>1</sup> |
| <sup>(1)</sup> 0.5-2 lbs/1000 sq. ft.   |                             |
| <b>II. For the control of mosquito larvae in agricultural/crop sites where mosquito breeding occurs.</b>  |                             |
| <b>Habitat</b>  | <b>Rate Range</b>           |
| Rice fields, pastures/hay fields, orchards (including citrus groves, peaches, almonds, dates, walnuts), asparagus fields, corn fields, cotton fields, alfalfa fields, vineyards.  | 5-20 lbs/acre*              |
| Apply uniformly by aerial or conventional ground equipment. Reapply as needed (after 1-4 weeks under typical environmental conditions).   |                             |
| *Use higher rates (10 to 20 lbs/acre) in areas where 4th instar <i>Aedes</i> or <i>Ochlerotatus</i> spp. larvae predominate, or very high densities of late instar larvae are present, or under conditions where local experience indicates the need for higher rates to achieve extended residual control. |                             |

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential for spray drift. The applicator and the treatment coordinator are responsible for considering all these factors when making decisions.

**6.0 WARRANTY AND DISCLAIMER**

To the fullest extent permitted by law, seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

VectoMax is a trademark of Valent BioSciences Corporation.